

..... 1

Step 1. Daemon ..... 1

Step 2. ComilDE ..... 1

Step 3. .... 1

Step 4. Daemon ..... 2


Step 5. SA ComilDE ..... 2

See Also ..... 3

# EtherCAT SA

x ComiIDE

EtherCAT SA



### Step 1. Daemon

- SA
- Network Config
- FW
- Daemon 가 <sup>1)</sup>

### Step 2. ComiIDE

- Daemon ComiIDE
- ComiIDE

### Step 3.

- ComiIDE Main - FW
- File Load



- 



- File Load    Download
- 



- 

### Step 4. Daemon



1. Daemon
2. Set Device Address
3.                    Device ID (Net ID)
4. Write Device Info



- Write                    Read Device Info                    192.168.1.(100+netID) <sup>2)</sup>

### Step 5. SA

### ComiIDE



1. EtherCAT SA                    가
2.                    **Daemon**
3.                    가 30                    SA                    가                    Daemon    Network Config

### See Also

- 1)                      Daemon,                      가    가  
    가
- 2)                      .
- ex) 1    Net ID            192.168.1.101

From:  
<https://www.comizoa.com/info/> - -

Permanent link:  
[https://www.comizoa.com/info/doku.php?id=faq:comiapp:fwupdater:03\\_ethercat\\_sa&rev=1671512645](https://www.comizoa.com/info/doku.php?id=faq:comiapp:fwupdater:03_ethercat_sa&rev=1671512645)

Last update: **2024/07/08 18:22**